





SHOW YOURSELF

Create a room that begs you to stick around, sit down and relax.

IN

FEATURED Oracle with Warm Red Split Herringbone Mosaic Masonry $^{\mathrm{TM}}$ brick





FEATURED Oracle with Ivory Split Stacked Mosaic Masonry TM brick

A family of premium Wood Burning Fireplaces, with large viewing areas and unique features, provide a distinctive focal point in any room.

EXCLUSIVE FEATURES

- Available in 36", 42" and 50" models
- Massive smoke dome with no visible smoke shelf for reliable operation
- Fully insulated firebox for increased performance in colder climates
- Mosaic Masonry™ brick or Estate Refractory Panels available in a variety of patterns and colors with integrated ash lip
- Heavy duty stainless steel log grate
- Hidden ash dump with pull ring
- Easy access damper control
- Includes stainless steel mesh fire screens
- Dual (left hand/right hand) outside air kits available for maximum performance
- Stainless steel construction for long lasting outdoor use
- ★ Uses IHP 12 DM (1700°) double wall air cooled wood burning chimney
- Uses IHP 12 HT (2100°) heavy gauge double wall air cooled wood burning chimney, recommended for cold climates (required for Canada)
- 20 Year Limited Warranty





 $Engineered\ Mosaic\ Masonry\ ^{\rm TM}\ bricks\ are\ hand\ grouted\ in\ the\ factory\ for\ ease\ of\ installation\ and\ provides\ the\ authentic\ look\ of\ masonry\ craftsman ship.$

Options

INTERIOR (REQUIRED) $\textit{Mosaic Masonry}^{\text{TM}} \textit{ brick available in a variety of colors and patterns.}$

















Grey Herringbone

Grey Stacked


Rust Herringbone

Rust Stacked

ADDITIONAL OPTIONS









DOORS (OPTIONAL) Tempered glass doors are expertly crafted. Six finishes available for use with Masonry Brick (1-3) and Estate Panels (4-6).

FLAT WALL FRAMING SPECIFICATIONS




	ORACLE 36	ORACLE 42	ORACLE 50	
A	67-1/8"	67-1/8"	67-1/8"	
В	45-1/4"	51-1/4"	59-1/4 "	
С	28-1/4"	30-1/8"	30-1/8"	

APPLIANCE SPECIFICATIONS



	ORACLE 36	ORACLE 42	ORACLE 50
G	36"	42"	50"
н	45-1/8"	51-1/8"	59"
I	29"	30-1/2"	38-1/2"
J	26-5/8"	29"	28-1/2"
K	30"	30"	30"
L	49"	49"	49"
M	67"	67"	67"
N	10-1/2"	10-1/2"	10-1/2"
О	9-1/2"	9-1/2"	9-1/2"
P	3-1/2"	3-1/2"	3-1/2"
Q	7-1/4"	8-1/2"	8-1/2"
R	11"	13"	13"
s	15-1/4"	17"	17"

CORNER FRAMING SPECIFICATIONS



	ORACLE 36	ORACLE 42	ORACLE 50	
D	45-1/4"	51-1/4"	59-1/4"	
E	86-1/2"	92"	100"	
F	61"	65"	71"	

IMPORTANT NOTES:

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

 $Local\ conditions, such\ as\ elevation, wind, vent\ configuration\ and\ choice\ of\ fuel\ will\ affect\ overall$ appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.







