

CAPELLA

ELECTRIC FIREPLACES





Capella 33 with Charred Split Oak Log Set and integrated grate and glowing ember bed

STANDARD FEATURES

- ◆ Available in 33" and 36" circulating models
- ◆ Unique multi-colored flame presentation for greater realism
- ◆ LED lights provide energy efficiency and long life
- ◆ Standard 5,000-BTU's with 110V (10,000-BTU with 220V thermostatically controlled heater delivers relaxing heat on demand
- ◆ Plug-in ready with standard three pronged 110V grounded power cord for easy installation
- ◆ Charred split oak log set with integrated grate and glowing ember bed
- ◆ Mesh fire screens
- ◆ Full function remote control (heat, flames, embers)
- ◆ 1 Year Limited Warranty

Capella offers a charred "split oak" log set and glowing ember bed image deliver an elegant fire presentation. An adjustable flame height, intense embers and smoke-reflective interior offer a realistic flame presentation. Standard 5,000-BTU heater with 110V (10,000-BTU with 220V) delivers clean relaxing heat on demand. Easy access manual controls, and wall switch and thermostat-ready.

Impressive Multi-Colored Flame Presentation



Blue Flame



Yellow Flame

Decorative Front Face Panels



Interlocking Arch Face Panel with Screen



Mission Style Face Panel with Screen

Three-Piece Perimeter Trim Kits

Options




Brushed Stainless



Black

Fixed Glass Enclosure Panels



Remote (Included)




Remote

Remote Features

- | | |
|----------------------------|----------|
| • Flame Intensity (Yellow) | 4 levels |
| • Flame Intensity (Blue) | 4 levels |
| • Ember Lighting | 4 levels |
| • Mood Lighting | 4 levels |

APPLIANCE SPECIFICATIONS



	CAPELLA 33	CAPELLA 36
A	21-1/8"	24"
B	13-3/4"	13-3/4"
C	14-7/8"	14-7/8"
D	34-1/2"	37-5/8"
E	32"	32"
F	5-1/8"	5-1/8"
G	33"	36"
H	21-1/8"	21-1/8"
I	27-1/2"	27-1/2"
J	24-1/2"	24-1/2"
K	5-1/4"	5-1/4"
L	2-1/4"	2-1/4"
M	29-3/4"	29-3/4"
N	Electrical Access	Electrical Access

FRAMING SPECIFICATIONS

	CAPELLA 33	CAPELLA 36
WIDTH	35-1/4"	38-3/4"
HEIGHT	32"	32"
DEPTH	15-1/8"	15-1/8"

FIREPLACE EFFICIENCIES

MODEL	TYPE	VOLTAGE	BTU/HR
CAPELLA33/36	Electric	110	5,000
CAPELLA33/36	Electric	220	10,000

IMPORTANT NOTES:

Heating element not intended for continuous use.

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.

astria
FIREPLACES®

© 2019 Innovative Hearth Products
785434M 10/19

Visit us online
Astria.us.com

